

USS



**UNIVERSIDAD
SEÑOR DE SIPÁN**

**FACULTAD DE HUMANIDADES
ESCUELA PROFESIONAL DE PSICOLOGÍA**

**“RELACIÓN ENTRE TRASTORNOS DE PERSONALIDAD E
IDEACIÓN SUICIDA EN PACIENTES DROGODEPENDIENTES
DE LA ASOCIACIÓN CULTURAL COMUNIDAD TERAPÉUTICA
MI BUEN PASTOR-CHICLAYO, 2009”.**

PARA OPTAR EL TÍTULO DE
LICENCIADA EN PSICOLOGÍA

AUTORAS:

BACH. SEGUNDA BLANCA BAZÁN SAAVEDRA
BACH. MAYRA NATALI URRUTIA CERVERA

ASESOR:

LIC. ROBERTO OLAZABAL BOGGIO

CHICLAYO – PERÚ

2011

RESUMEN

La presente investigación analiza si existe una relación entre los trastornos de personalidad e ideación suicida en pacientes drogodependientes de la Asociación Cultural Comunidad Terapéutica Mi Buen Pastor-Chiclayo, 2009; para lo cual se procesaron los datos de 60 personas utilizando el MCMI_II Inventory Clínico Multiaxial de Millón – II y la Escala de Ideación Suicida de Aaron T.Beck. Mediante la correlación de Pearson se determinó que existe una fuerte relación entre el patrón clínico narcisista y patología severa de personalidad Borderline con ideación suicida. Asimismo existe relación alta entre el patrón clínico agresivo, patrón clínico Autoderrotista, patrón clínico pasivo agresivo, patrón clínico antisocial, patrón clínico narcisista, síndrome clínico dependencia de drogas, síndrome clínico dependencia de alcohol y el patrón clínico dependiente con ideación suicida.

ABSTRACT

The present investigation analyzes if it exists a relation between the personality upheavals and suicidal ideation in drogodependientes patients of the Cultural Association Therapeutic Community My Good Shepherd, 2009; for which the data of 60 people were processed using the MCMI_II Multi-axial Clinical Inventory of Million - II and the Scale of Ideation Suicide de Aaron T.Beck. By means of the correlation of Pearson I determine that a strong relation between the narcissist clinical landlord exists and severe pathology of Borderline personality with suicidal ideation. Also high relation between aggressive the clinical landlord, clinical landlord Autoderrotista, aggressive passive clinical landlord, antisocial clinical landlord, narcissist clinical landlord, clinical syndrome drug dependency, clinical syndrome alcohol dependency and the dependent clinical landlord with suicidal ideation exists.