



FACULTAD DE HUMANIDADES
ESCUELA ACADÉMICO PROFESIONAL DE PSICOLOGÍA

TESIS

Síntomas evitativos e intrusivos y bienestar psicológico en las víctimas del impacto
del huayco de Chosica

PARA OPTAR EL TÍTULO PROFESIONAL DE LICENCIADO EN:
PSICOLOGÍA

AUTOR:

Bach. Glenda del Milagro Fernández Huidobro

Pimentel, 11 de diciembre del 2014

RESUMEN

La investigación realizada tuvo como objetivo determinar la relación entre los Síntomas Evitativos e Intrusivos y el Bienestar Psicológico en las víctimas del impacto de huayco de Chosica. La población fue de 100 habitantes de las zonas más afectadas por el huayco, siendo la Cooperativa Pablo Patrón, San Juan de Bellavista y Mariscal Castilla los lugares donde se aplicaron la Escala de Impacto de Eventos de (Horowitz & Álvarez, 1979) y la Escala de Bienestar Psicológico BIEPS. (2000) de María Martina Casullo. Los mismos que cuentan con confiabilidad y validez. El tipo de investigación es descriptivo correlacional y el diseño es no experimental o transversal.

Se concluyó que existe relación inversa considerable altamente significativa entre los síntomas Evitativos e Intrusivos y el Bienestar Psicológico. Así mismo, las víctimas en su mayoría poseen un nivel moderado de síntomas Evitativos e intrusivos con el 36%, del mismo modo el 36% obtuvo un nivel medio de bienestar psicológico.

Palabras claves: *Bienestar psicológico, síntomas evitativos e intrusivos.*

ABSTRACT

The present investigation was designed to determine the relationship between avoidant and Intrusive Symptoms and Psychological Well impact on victims of avalanche of Chosica. The population was 100 inhabitants of the areas most affected by the landslide, with the Cooperative Paul Skipper, San Juan de Bellavista and Mariscal Castilla places where Impact Scale Events (Horowitz & Alvarez, 1979) were applied and Scale Psychological Welfare BIEPS . (2000) Mary Martina Casullo. The same feature reliability and validity. The research is descriptive and correlational design is not experimental or transverse .It was concluded that there is significant highly significant inverse relationship between avoidant and Intrusive symptoms and psychological well-being Likewise, victims mostly have a moderate level of avoidant and intrusive symptoms in 36 % , just 36 % had a medium level of psychological well-being.

Key words: Psychological well, avoidant and intrusive symptoms.